

COUNTY OF ERIE
DEPARTMENT OF ENVIRONMENT AND PLANNING
DIVISION OF SEWERAGE MANAGEMENT
• • MEMORANDUM • •

TO: Matt A. Salah, P.E., Secretary, ECSD 1 Board of Managers
FROM: Beth M. Pfalzer, Administrative Assistant
DATE: April 11, 2024
SUBJECT: ECSD 1 Board of Managers – Approval for Enforcement Hearing

Please present at your next Board of Managers meeting the attached property owner has not corrected a violation found during their house inspection and requires an Enforcement Hearing.

The Division of Sewerage Management is recommending an Enforcement Hearing for the attached list. Should you have any questions, please contact me at 858-6144 or beth.pfalzer@erie.gov.

MOVED BY: _____

SECONDED BY: _____

APPROVED/DISAPPROVED: _____

DATE: _____

Matt A. Salah, P.E.
SECRETARY

Encl.
cc: 1.2.2.I&I

(Handwritten signature)



County of Erie

DANIEL CASTLE, AICP
COMMISSIONER

DEPARTMENT OF ENVIRONMENT & PLANNING
DIVISION OF SEWERAGE MANAGEMENT

JOSEPH FIEGL, P.E., BCEE
DEPUTY COMMISSIONER

March 8, 2024

[REDACTED]
[REDACTED]
540 FRENCH RD
CHEEKTOWAGA NY 14227

Re: FINAL VIOLATION NOTICE
Erie County Sewer District No. 1, Mini System 5
Property Located at: **540 FRENCH RD**

Dear Property Owner:

A recent review of our records indicate that you were advised by letters dated 7/21/2023, 11/28/2023, and 12/22/2023, that the above mentioned property was inspected on 6/26/2023, and the following apparent violation of Section 305 and/or 501 of the "Rules and Regulations for Erie County Sewer Districts" was observed:


RAISE LOW LYING VENT 6 INCHES ABOVE GRADE AND REPLACE PERFORATED CAP WITH MUSHROOM CAP

As a result of your failure to comply with these notifications, your name has been referred to the Erie County Sewer District 1 Board of Managers for consideration of holding a hearing to obtain compliance with this request.

This matter is scheduled to be taken up at the next meeting of the Board of Managers meeting. If compliance with this request is not completed by that time, the Board of Managers will consider scheduling a hearing on the matter, the result of which could be fines.

Should you have any questions on this matter, or wish to schedule an inspection, please feel free to contact me at 716-684-1235 during normal business hours.

Very truly yours,


William Strzeszynski II
Sewer District Manager

cc: ECSD 1 Board of Managers (M Salah)

The Rules and Regulations for Erie County Sewer Districts can be viewed at www.erie.gov/DSM.